


SINOMAC



2010 PRODUCT CATALOGUE

2010 NEW MODELS


SUK-1003



OSD-818



SUK-1005



2.0 Active Speakers

SUK-1001



SUK-1002



OSD-813




OSD-815



SUK-1000




OSD-819



2.0 Active Speakers




Green apple



OSD-806



OSD-809



OSD-810



OSD-808



OSD-811

Function parameters

- Output Power 3W*2
- Power IC Lm4863
- Signal-to-noise $\geq 70\text{dB}$
- Tweeter Unit 2 Inch
- Power Voltage USB
- Input Sensitivity 350mV
- Response frequency 125Hz---18KHz



2.1 Active Speakers



SUK-1005



OSD-821



SUK-1003



OSD-823A



OSD-823



OSD-825

Function parameters(OSD-821/OSD-822/OSD-823/OSD-825)

- Output Power 3W*2+6W
- Power IC TEA2025*2
- Signal-to-noise ≥ 70 dB
- Tweeter Unit 2 Inch
- Bass Unit 4 Inch
- Transformer 15W
- Input Sensitivity 450mV
- Response frequency 50Hz---18KHz
- Power Voltage AC220V $\pm 10\%$ /50Hz





OSD-822



OSD-820



SUK-852



SUK-850



SUK-853

Function parameters

	SUK-850	SUK-853	SUK-851	SUK-852
Output Power	3W*2+6W	3W*2+6W	3W*2+10W	3W*2+10W
Power IC	TEA2025*2	TEA2025*2	TEA2025+TDA2030	TEA2025+TDA2030
Transformer	15W	15W	20W	20W
Signal-to-noise	≥75dB	≥75dB	≥80dB	≥80dB
Bass Unit	4 Inch	4 Inch	4 Inch	4 Inch
Tweeter Unit	2 Inch	2 Inch	3 Inch	2 Inch
Power Voltage	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz
Input Sensitivity	350mV	350mV	450mV	450mV
Response frequency	50Hz--18KHz	50Hz--18KHz	50Hz--18KHz	50Hz--18KHz






SUK-855



SUK-880



SUK-885



SUK-886



SUK-5786

Function parameters

	SUK-855	SUK-880 SUK-885	SUK-886	SUK-5786
Output Power	3W*2+10W	10W*3	10W*3	10W*2+20W
Power IC	TEA2025+TDA2030	TDA2030*3	TDA2030*3	TDA2030*4
Transformer	20W	35W	35W	40W
Signal-to-noise	≥80dB	≥75dB	≥75dB	≥75dB
Bass Unit	4 Inch	5 Inch	5 Inch	5 Inch
Tweeter Unit	2.5 Inch	3 Inch	3 Inch	3 Inch
Power Voltage	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz
Input Sensitivity	450mV	450mV	450mV	450mV
Response frequency	50Hz--18KHz	40Hz--18KHz	40Hz--18KHz	30Hz--18KHz



2.1 Active Speakers



SUK-1002



SUK-1000



SUK-1001



SUK-1002



OSD-883



OSD-829




OSD-828

NEW CONCEPT DESIGN MODEL COMING SOON



Coming soon 11

Coming soon



Coming soon 12



Coming soon 13

Coming soon



SINOMAC

Sinomac Enterprise Ltd.

Unit A4, 13/F., Block A, Mai Hing Industrial Building,
16-18 Hing Yip Street, Kwun Tong, Kowloon, Hong Kong
Tel: +852-2753 9889 Fax: +852-2798 5459 info@sinomac.com.cn